



**“Provide quality products, competitively priced and delivered on time with total customer satisfaction. A simple promise in a complex world.”**

Gear Keeper Retractors are built by Hammerhead Industries, Inc., the world’s leading manufacturer of personal tethering equipment including retracting lanyards for tools, gear and instruments. Covered by numerous patents, Gear Keeper products are precision-made systems that keep gear and instruments safe, secure and close at hand.

**There is nothing random about our Quality. Our Guarantee.**

All of the company’s products are built “Hammerhead Tough” in the USA. Hammerhead Industries warrants its products against manufacturing defects in workmanship and materials. If you are not satisfied with the quality or performance of any Hammerhead product, we will replace it or refund your money within 30 days after purchase through your original dealer or retailer. The warranty is void if the product has been abused beyond normal wear and tear or used for purposes other than intended.

**To find a dealer near you or for more information about any Gear Keeper products, contact Customer Service.**

**Hammerhead Industries Inc., 1501 Goodyear Avenue, Ventura, CA 93003**

**Call: (888) 588-9981 or visit [www.gearkeeper.com](http://www.gearkeeper.com)**



Hammerhead Industries, Inc. Ventura, CA • Toll FREE: (888) 588-9981 (805) 658-9922 • Fax: (805) 658-8833  
Web Site: [www.GearKeeper.com](http://www.GearKeeper.com) • E-Mail: [info@GearKeeper.com](mailto:info@GearKeeper.com)



# Instrumentation TETHERING



■ Rotating Belt Clip Mount

Also Available in:  
Clamp-On Rotating  
Clamp-On 2-Axis  
Snap Clip

■ Interlock Belt Clip

■ Available in  
8 Force Options

■ Nylon Line w/ Kevlar Core

■ High-Impact  
Case

■ Quick Connect-II (Q/C-II)  
w/ Pivot Ball Connection

» » » Building Quality Tethering Products Since 1995





Gear Keeper's self-retracting instrument tethering systems prevent loss or damage. When in use, pull the instrument out... use it and let it go... it automatically retracts to its stored position. If the instrument is dropped, the Gear Keeper tether safely absorbs the "drop" stress produced.



## Gear Keeper® Retractable Instrument Tethers

### RT3 Retractor

- Rotating Belt Clip Mount
- Also available in:
  - Clamp-On Rotating
  - Clamp-On 2-Axis
  - Snap Clip
  - Carabiner
- Inter Lock Belt Clip
- High-Impact Case with Spectra/Nylon Line
- Available in 8 Force Options
- Quick Connect-II (Q/C-II) w/ Pivot Ball Connection



### RT4 Retractor

- Rotating Belt Clip Mount
- Available in 3 Force Options
- Spectra/Nylon Line
- Quick Connect (Q/C) w/ Pivot Ball Connection
- Other Mounting Options Available



### New 2-Axis Clamp-On Belt Options:

A 360-degree 2-Axis rotation clamp-on belt clip that offers a low-profile, compact mounting system that is easily clamped on to a webbing belt. Offering full range of motion the 2-Axis unit permits 360° rotation on the belt as well as 180° swing-away from the body.

CUSTOM "BELT MOUNTED": (minimum 50 units): For the ultimate in durability, safety and maximum security, Hammerhead Industries can mount the 2-Axis or clamp-on rotating retractor directly to the web belt. The retractor can be moved to different positions on the belt but impossible to dislodge. (Optionally, the retractor/belt combination can be user-converted to a slide on/off unit for any belt while still maintaining the security that prevents unwanted dislodging.)



For any of the custom mounted Retracting Systems, the following additional options are available; retractor forces from 3 to 68 ounces; mounting options include snap clip, rotating clip on belt, 360-degree clamp-on, 2-Axis clamp-on; and split ring or lanyard end type. Contact customer service for more information or assistance at 888.588.9981.



## How to Choose the Correct Tether

Tether descriptions include "retraction force / extension length" (i.e. 36 oz. / 19"). To select a tether, match the weight of the instrument with the tether's retraction force. For example, a 36 oz. instrument can be safely tethered to a 36 oz. (force) retractor.

## Complete Custom Tether Design and Manufacturing Services

Hammerhead Industries is the "Tether Solutions" expert. We have designed application-specific retractable lanyards for many manufacturers in many diverse industries. We can build one for you from our modular system or start with your need and create something specifically designed just for you.

Our modular system includes; Twelve Gear Keeper retractor forces from 3 to 68 ounces (equates to instruments from 3 to 68 ounces); Eight mounting options to attach the tether to a person or structure, and an array of tool connection options and lanyard lengths. Minimum quantities for custom tethers based on our modular system start at just 50 units. Contact customer service for more information or assistance.





## Locking GearKeeper® Hanging Scanner Tether



Recommended for hanging a bar code scanner on a forklift, assembly line or in a retail environment

- RT3-4512 (\$26.49)  
(12 oz / 42")
- RT3-4518 (\$26.49)  
(18 oz / 36")
- RT3-4524 (\$26.49)  
(24 oz / 32")
- RT3-4526 (\$26.49)  
(26 oz / 28")

▪ 1-0105-02 Accessory Kit Included



Optional Q/C-II Lanyard  
(6" Long)

- ACO-0912 (\$3.99)

## Magnum Instrument Tethers

- RT3-4548 (\$64.99)  
(48 oz / 22")
- RT3-4558 (\$64.99)  
(58 oz / 22")
- RT3-4568 (\$64.99)  
(68 oz / 16")



## Belt Clip Instrument Tethers 3 oz - 36 oz

Stainless Steel Interlocking Belt Clip: Attaches to pants or belts up to 2"



- RT4-5850 3 oz / 36"
  - RT4-5851 6 oz / 36"
  - RT4-5852 9 oz / 32"
- (\$22.99)

See accessories for other Q/C attachments



- RT3-7512 12 oz / 42"
  - RT3-7518 18 oz / 36"
  - RT3-7524 24 oz / 32"
  - RT3-7526 26 oz / 28"
  - RT3-7536\* 36 oz / 19"
- \* Non-Locking Version Only  
(\$29.99)

## Webbing Belt



2" x 48" Webbing Belt w/ Side Release Buckle

- 1-0159-01 (\$14.99)

2" x 60" Webbing Belt w/ Side Release Buckle

- 1-0159-11 (\$16.99)

## Multi-Mount Instrument Tethers 12 oz - 36 oz


Multi-Mount: Clamp-On Belt Clip fits belts up to 2 1/4"




- RT3-7612 12 oz / 42"
  - RT3-7618 18 oz / 36"
  - RT3-7624 24 oz / 32"
  - RT3-7626 26 oz / 28"
  - RT3-7636\* 36 oz / 19"
- \* Non-Locking Version Only  
(\$33.49)

Heavy duty belt clip mounts typically used with optional Web Belt

Includes both of these mounting options!



(1) 360° Rotating Clamp-On Belt Clip



(2) 2-Axis Rotation Clamp-On Belt Clip

## Instrument Shoulder Straps 12 oz - 68 oz



Q/C-II Shoulder Strap

- TL1-0001
- Q/C-II Connector Includes:
- 3" Lanyard
  - 6" Lanyard
  - 1 1/8" Split Ring

(\$24.99)



Shoulder Strap w/ Retractor

Q/C-II Connector Includes:

- 3" Lanyard,
- 6" Lanyard
- 1 1/8" Split Ring

- TL1-1012 12 oz / 42"
- TL1-1018 18 oz / 36"
- TL1-1024 24 oz / 32"
- TL1-1026 26 oz / 28"
- TL1-1036 36 oz / 19"

(\$42.49)



Aluminum Carabiner

- TL1-1048 48 oz / 22"
- TL1-1058 58 oz / 22"
- TL1-1068 68 oz / 16"

(\$64.99)